



## Key Publications

- [1] N. Rifai, M. A. Gillette, and S. A. Carr, "Protein biomarker discovery and validation : the long and uncertain path to clinical utility," vol. 24, no. 8, pp. 971–983, 2006.
- [2] M. Osaki and N. Kosaka, "Circulating MicroRNAs in Drug Safety Assessment for Hepatic and Cardiovascular Toxicity : The Latest Biomarker Frontier ?," 2013.
- [3] K. Wang, S. Zhang, B. Marzolf, P. Troisch, A. Brightman, Z. Hu, L. E. Hood, and D. J. Galas, "Circulating microRNAs, potential biomarkers for drug-induced liver injury.,," *Proc. Natl. Acad. Sci. U. S. A.*, vol. 106, no. 11, pp. 4402–7, 2009.
- [4] V. Bahrer, M. Friedrich-rust, B. Kronenberger, N. Forestier, J. Haupenthal, Y. Shi, J. Peveling-oberhag, H. H. Radeke, C. Sarrazin, E. Herrmann, and S. Zeuzem, "Serum miR-122 as a Biomarker of Necroinflammation in Patients With Chronic Hepatitis C Virus Infection," no. November 2010, pp. 1663–1669, 2011.
- [5] Y. Zhang, Y. Jia, R. Zheng, Y. Guo, Y. Wang, H. Guo, M. Fei, and S. Sun, "Plasma microRNA-122 as a biomarker for viral-, alcohol-, and chemical-related hepatic diseases," *Clin. Chem.*, vol. 56, no. 12, pp. 1830–1838, 2010.
- [6] K. Ogata, K. Sumida, K. Miyata, M. Kushida, M. Kuwamura, and J. Yamate, "Circulating miR-9\* and miR-384-5p as potential indicators for trimethyltin-induced neurotoxicity.,," *Toxicol. Pathol.*, vol. 43, no. 2, pp. 198–208, 2015.
- [7] P. Bergman, E. Piket, M. Khademi, T. James, L. Brundin, T. Olsson, F. Piehl, and M. Jagodic, "Circulating miR-150 in CSF is a novel candidate biomarker for multiple sclerosis," *Neurol Neuroimmunol Neuroinflamm*, vol. 3, no. 3, p. e219, 2016.
- [8] O. F. Laterza, L. Lim, P. W. Garrett-engele, K. Vlasakova, N. Muniappa, W. K. Tanaka, J. M. Johnson, J. F. Sina, T. L. Fare, F. D. Sistare, and W. E. Glaab, "Plasma MicroRNAs as Sensitive and Specific Biomarkers of Tissue Injury METHODS ;," vol. 1983, 2009.
- [9] E. Piegari, R. Russo, D. Cappetta, G. Esposito, K. Urbanek, C. Dell'Aversana, L. Altucci, L. Berrino, F. Rossi, and A. De Angelis, "MicroRNA-34a regulates doxorubicin-induced cardiotoxicity in rat.,," *Oncotarget*, vol. 7, no. 38, pp. 62312–62326, 2016.
- [10] Y. Nishimura, C. Kondo, Y. Morikawa, Y. Tonomura, M. Torii, J. Yamate, and T. Uehara, "Plasma miR-208 as a useful biomarker for drug-induced cardiotoxicity in rats," *J. Appl. Toxicol.*, vol. 35, no. 2, pp. 173–180, 2015.
- [11] L. Zhang, X. Chen, T. Su, H. Li, Q. Huang, D. Wu, C. Yang, and Z. Han, "Circulating miR-499 are novel and sensitive biomarker of acute myocardial infarction," vol. 7, no. 3, pp. 303–308, 2015.
- [12] J. Calvano, W. Achanzar, B. Murphy, J. DiPiero, C. Hixson, C. Parrula, H. Burr, R. Mangipudy, and M. Tirmenstein, "Evaluation of microRNAs–208 and 133a/b as differential biomarkers of acute cardiac and skeletal muscle toxicity in rats," *Toxicol. Appl. Pharmacol.*, vol. 312, pp. 53–60, 2015.
- [13] Y. ZHU, J. YU, L. YIN, Y. ZHOU, Z. SUN, H. JIA, Y. TAO, W. LIU, B. ZHANG, J. ZHANG, MEIWANG, X. ZHANG, Y. YAN, J. XUE, H. GU, F. MAO, W. XU, and H. QIAN, "MicroRNA-146b, a Sensitive Indicator of Mesenchymal Stem Cell Repair of Acute Renal Injury," *Stem Cells Transl. Med.*, no. 5, pp. 1406–1415, 2016.

- [14] M. A. Baker, S. J. Davis, P. Liu, X. Pan, A. M. Williams, K. A. Iczkowski, S. T. Gallagher, K. Bishop, K. R. Regner, and Y. Liu, "Tissue-Specific MicroRNA Expression Patterns in Four Types of Kidney Disease," pp. 1–8, 2017.
- [15] G. Conickx, F. A. Cobos, M. Van Den Berge, A. Faiz, W. Timens, S. H. Pieter, G. F. Joos, G. G. Brusselle, P. Mestdagh, and R. Ken, "microRNA profiling in lung tissue and bronchoalveolar lavage of cigarette smoke-exposed mice and in COPD patients : a translational approach," no. September, pp. 1–14, 2017.
- [16] M. Song, H. Lee, and J. Ryu, "Integrated analysis of microRNA and mRNA expression profiles highlights aldehyde-induced inflammatory responses in cells relevant for lung toxicity," *Toxicology*, 2015.
- [17] L. Wu, B. Hu, B. Zhao, Y. Liu, Y. Yang, and L. Zhang, "Circulating microRNA-422a metastasis in lung cancer is associated with lymphatic," vol. 8, no. 26, pp. 42173–42188, 2017.
- [18] X. Kong, Y. Du, L. Li, J. Liu, G. Wang, J. Zhu, X. Man, and Y. Gong, "Plasma miR-216a as a potential marker of pancreatic injury in a rat model of acute pancreatitis," vol. 16, no. 36, pp. 4599–4604, 2010.
- [19] K. BENDJAMA, S. GUIONAUD, G. ARAS, and N. ARBER3, "Translation Strategy for the Qualification of Drug-induced Vascular Injury Biomarkers," pp. 658–671, 2014.
- [20] K. Vrijens, V. Bollati, and T. S. Nawrot, "MicroRNAs as Potential Signatures of Environmental Exposure or Effect : A systematic review," *Environ. Health Perspect.*, vol. 123, no. 5, pp. 399–411, 2015.
- [21] A. Derghal, M. Djelloul, J. Trouslard, and L. Mounien, "An Emerging Role of micro-RNA in the Effect of the Endocrine Disruptors," vol. 10, no. June, pp. 1–15, 2016.